

TEMPERATURA (°C)	PRESION ABSOLUTA bar	DENSIDAD LIQUIDO Kgr/m3	DENSIDAD V APOR kgr/m3	ENTALPIA LIQUIDO Kj/Kg	ENTALPIA VAPOR kj/kg
-20.00	0.7195	602.8	2.055	-18.69	355.6
-19.00	0.7505	601.8	2.137	-16.48	356.9
-18.00	0.7825	600.7	2.222	-14.26	358.2
-17.00	0.8156	599.6	2.309	-12.05	359.5
-16.00	0.8498	598.5	2.399	-9.822	360.8
-15.00	0.8851	597.4	2.492	-7.593	362.2
-14.00	0.9215	596.3	2.587	-5.359	363.5
-13.00	0.9591	595.2	2.686	-3.121	364.8
-12.00	0.9978	594.1	2.787	-0.8766	366.2
-11.00	1.038	593.0	2.891	1.372	367.5
-10.00	1.079	591.9	2.998	3.627	368.8
-9.000	1.121	590.8	3.108	5.886	370.2
-8.000	1.165	589.6	3.221	8.151	371.5
-7.000	1.210	588.5	3.337	10.42	372.8
-6.000	1.257	587.4	3.456	12.70	374.2
-5.000	1.304	586.3	3.579	14.98	375.5
-4.000	1.353	585.1	3.705	17.26	376.8
-3.000	1.404	584.0	3.834	19.55	378.2
-2.000	1.456	582.9	3.967	21.85	379.5
-1.000	1.509	581.7	4.103	24.15	380.8
0.0	1.564	580.6	4.243	26.46	382.2
10.000	1.621	579.4	4.387	28.77	383.5
2.000	1.679	578.3	4.534	31.09	384.9
3.000	1.738	577.1	4.685	33.42	386.2
4.000	1.799	576.0	4.839	35.75	387.5
5.000	1.862	574.8	4.998	38.08	388.9
6.000	1.926	573.7	5.161	40.42	390.2
7.000	1.993	572.5	5.328	42.77	391.6
8.000	2.060	571.3	5.498	45.13	392.9
9.000	2.130	570.1	5.673	47.48	394.3
10.00	2.201	568.9	5.853	49.85	395.6
11.00	2.274	567.8	6.036	52.22	397.0
12.00	2.349	566.6	6.224	54.60	398.3
13.00	2.426	565.4	6.417	56.98	399.6
14.00	2.505	564.2	6.614	59.37	401.0
15.00	2.585	563.0	6.816	61.76	402.3
16.00	2.668	561.8	7.022	64.16	403.7
17.00	2.752	560.6	7.234	66.57	405.0
18.00	2.839	559.3	7.450	68.98	406.4
19.00	2.927	558.1	7.671	71.40	407.7
20.00	3.018	556.9	7.897	73.83	409.1
21.00	3.111	555.7	8.129	76.26	410.4
22.00	3.205	554.4	8.365	78.70	411.7
23.00	3.302	553.2	8.607	81.14	413.1
24.00	3.401	551.9	8.855	83.59	414.4
25.00	3.503	550.7	9.108	86.05	415.8
26.00	3.606	549.4	9.366	88.51	417.1
27.00	3.712	548.2	9.630	90.99	418.5
28.00	3.820	546.9	9.900	93.46	419.8
29.00	3.931	545.6	10.18	95.95	421.1
30.00	4.043	544.3	10.46	98.44	422.5
31.00	4.158	543.0	10.75	100.9	423.8
32.00	4.276	541.8	11.04	103.4	425.2
33.00	4.396	540.5	11.34	106.0	426.5
34.00	4.519	539.2	11.65	108.5	427.8
35.00	4.644	537.8	11.96	111.0	429.2
36.00	4.771	536.5	12.28	113.5	430.5
37.00	4.902	535.2	12.61	116.1	431.8
38.00	5.034	533.9	12.94	118.6	433.1
39.00	5.170	532.5	13.29	121.2	434.5

40.00	5.308	531.2	13.63	123.7	435.8
41.00	5.449	529.8	13.99	126.3	437.1
42.00	5.592	528.5	14.35	128.9	438.4
43.00	5.739	527.1	14.73	131.5	439.8
44.00	5.888	525.7	15.10	134.1	441.1
45.00	6.040	524.4	15.49	136.6	442.4
46.00	6.195	523.0	15.89	139.3	443.7
47.00	6.352	521.6	16.29	141.9	445.0
48.00	6.513	520.2	16.70	144.5	446.3
49.00	6.677	518.8	17.12	147.1	447.6
50.00	6.843	517.4	17.55	149.8	448.9
51.00	7.013	515.9	17.99	152.4	450.2
52.00	7.186	514.5	18.43	155.1	451.5
53.00	7.362	513.0	18.89	157.7	452.8
54.00	7.541	511.6	19.36	160.4	454.1
55.00	7.723	510.1	19.83	163.1	455.4
56.00	7.908	508.6	20.32	165.8	456.7
57.00	8.097	507.2	20.81	168.5	458.0
58.00	8.289	505.7	21.32	171.2	459.2
59.00	8.484	504.2	21.83	173.9	460.5
60.00	8.683	502.7	22.36	176.6	461.8
61.00	8.885	501.1	22.90	179.3	463.0
62.00	9.090	499.6	23.45	182.1	464.3
63.00	9.299	498.1	24.01	184.8	465.6
64.00	9.512	496.5	24.58	187.6	466.8
65.00	9.728	494.9	25.17	190.4	468.0
66.00	9.947	493.4	25.76	193.1	469.3
67.00	10.17	491.8	26.38	195.9	470.5
68.00	10.40	490.2	27.00	198.7	471.7
69.00	10.63	488.5	27.63	201.5	473.0